

ردیف	ردیف مشخصه ITEM DESIGNATION	ردیف مشخصه ITEM CODE	شماره انبار STORE NO	ردیف سازمان ADMIN	توضیحات درخواست پروژه / خرید مستقیم PROJECT / DIRECT CHARGE MATERIALS REQUEST	تقاضای خرید کالای پروژه / خرید مستقیم
IT			اساسی	فرعی	REQUEST NO.	ایجاد / اصلاح / ابطال
6	250	60	01	31	SHP-3194104163	نیاز سه ساله کالا

شماره طرح		جمع ارزش ها		جمع مقادیر		تاریخ درخواست	
PLAN NO.		TOTAL VALUE (EUR)		TOTAL QTY.		ITEM COUNT	
1404/05		685		50		1404/05	
شماره حساب		تاریخ نیاز به کالا		رد فوری		نماد کالا	
CT. NO.		REQUIRED DATE		URG. CODE		SYMBOL	
1405/02		1405/02				1404/05	

ITEM NO.	MESC NO.	شرح کالا	REQUIRED QTY.	NO.	VALUE (EST.) EUR	CROSS REF.				
						مقدار	کد	موس	سوس	ADMIN
11	09	PDC BIT 17-1/2", 7-5/8" REG PIN 6 BLADE, MATRIX BODY, 16 mm PDC CUTTERS FOR MEDIUM TO MEDIUM-HARD FORMATION WITH MAINTAIN OF DIRECTIONAL DRILLING, GAUGE PROTECT WITH TSP, SHORT PROFILE, SHOCK ABSORBER OR EQUIVALENT WITH BIT BREAKER & WRENCH W.O.B RANGE: 2 to 3 KLB/INCH R.P.M RANGE: 180 TO 300 RPM	05							
12		PDC BIT 12-1/4", 6-5/8" REG PIN 6 BLADE, MATRIX BODY, 19 mm PDC CUTTERS FOR MEDIUM TO MEDIUM-HARD FORMATION WITH MAINTAIN OF DIRECTIONAL DRILLING, GAUGE PROTECT WITH TSP, SHORT PROFILE, SHOCK ABSORBER OR EQUIVALENT WITH BIT BREAKER & WRENCH W.O.B RANGE: 2 to 3 KLB/INCH R.P.M RANGE: 180 TO 300 RPM	05							
13		PDC BIT 12-1/4", 6-5/8" REG PIN 6 BLADE, MATRIX BODY, 16 mm PDC CUTTERS FOR FOR MEDIUM TO MEDIUM-HARD FORMATION WITH MAINTAIN OF DIRECTIONAL DRILLING, GAUGE PROTECT WITH TSP, SHORT PROFILE, SHOCK ABSORBER OR EQUIVALENT WITH BIT BREAKER & WRENCH W.O.B RANGE: 2 to 3 KLB/INCH R-P-M-RANGE: 180 TO 300 RPM	15							

[illegible]

برگ الحاقی تقاضای خرید کالای پروژه / خرید مستقیم




REQUEST NO.

شماره تقاضا

PROJECT / DIRECT CHARGE MATERIALS REQUEST
CONTINUATION SHEET


شماره قلم ITEM NO.	شماره طبقه بندی کالا MESC NO.	واحد قلم UNIT	شرح کالا DESCRIPTION	مقدار REQUIRED QTY.	ارزش تقریبی قلم VALUE (EST.)	روش تامین M.O.S	ردیف S.O.S	CROSS REF.				شماره قلم ITEM
								شماره انبار STORE NO.	شماره درخواست REQUEST NO.	ADMIN	شماره درخواست REQUEST NO.	
04		NO	PDC BIT 12-1/4", 6-5/8" REG PIN 7 BLADE, MATRIX BODY, 13 mm PDC CUTTERS FOR MEDIUM TO MEDIUM-HARD FORMATION WITH MAINTAIN OF DIRECTIONAL DRILLING, GAUGE PROTECT WITH TSP, SHORT PROFILE, SHOCK ABSORBER OR EQUIVALENT WITH BIT BREAKER & WRENCH W.O.B RANGE: 2 to 3 KLB/INCH R.P.M RANGE: 180 TO 300 RPM	15								
05		NO	PDC BIT 8-1/2", 4-1/2" REG PIN 6 BLADE, MATRIX BODY, 16 mm PDC CUTTERS FOR MEDIUM TO HARD FORMATION WITH MAINTAIN OF DIRECTIONAL DRILLING, GAUGE PROTECT WITH TSP, SHORT PROFILE, SHOCK ABSORBER OR EQUIVALENT, WITH BIT BREAKER & WRENCH W.O.B RANGE: 2 to 3 KLB/INCH R.P.M RANGE: 180 TO 300 RPM	20								
06		NO	PDC BIT 8-1/2", 4-1/2" REG PIN 6 BLADE, MATRIX BODY, 13 mm PDC CUTTERS FOR MEDIUM - HARD TO HARD FORMATION WITH MAINTAIN OF DIRECTIONAL DRILLING, GAUGE PROTECT WITH TSP, SHORT PROFILE, SHOCK ABSORBER OR EQUIVALENT, WITH BIT BREAKER & WRENCH W.O.B RANGE: 2 to 3 KLB/INCH R.P.M RANGE: 180 TO 300 RPM	40								
07		NO	PDC BIT 8 3/8", 4-1/2" REG PIN 6 BLADE, MATRIX BODY, 16 mm PDC CUTTERS FOR MEDIUM TO HARD FORMATION WITH MAINTAIN OF DIRECTIONAL DRILLING, GAUGE PROTECT WITH TSP, SHORT PROFILE, SHOCK ABSORBER OR EQUIVALENT, WITH BIT BREAKER & WRENCH W.O.B RANGE: 2 to 3 KLB/INCH R.P.M RANGE: 180 TO 300 RPM	15								



کمیسیون مناقصات
۱۴۰۵ / ۳ / ۴
شرکت نفت مناطق مرکزی ایران

[Handwritten signatures and stamps]

08	NO	PDC BIT 8-3/8", 4-1/2" REG PIN 6 BLADE, MATRIX BODY, 13 mm PDC CUTTERS FOR MEDIUM - HARD TO HARD FORMATION WITH MAINTAIN OF DIRECTIONAL DRILLING, GAUGE PROTECT WITH TSP, SHORT PROFILE, SHOCK ABSORBER OR EQUIVALENT, WITH BIT BREAKER & WRENCH W.O.B RANGE: 2 to 3 KLB/INCH R.P.M RANGE: 180 TO 300 RPM	20								
09		PDC BIT 6-1/2", 3-1/2" REG PIN 6 BLADE, MATRIX BODY, 13 mm PDC CUTTERS FOR MEDIUM - HARD TO HARD FORMATION WITH MAINTAIN OF DIRECTIONAL DRILLING, GAUGE PROTECT WITH TSP, SHORT PROFILE, SHOCK ABSORBER OR EQUIVALENT, WITH BIT BREAKER & WRENCH W.O.B RANGE: 2 to 3 KLB/INCH R.P.M RANGE: 180 TO 300 RPM	20								
10		PDC BIT 5-7/8", 3-1/2" REG PIN 6 BLADE, MATRIX BODY, 13 mm PDC CUTTERS FOR MEDIUM - HARD TO HARD FORMATION WITH MAINTAIN OF DIRECTIONAL DRILLING, GAUGE PROTECT WITH TSP, SHORT PROFILE, SHOCK ABSORBER OR EQUIVALENT, WITH BIT BREAKER & WRENCH W.O.B RANGE: 2 to 3 KLB/INCH R.P.M RANGE: 180 TO 300 RPM	60								



TERMS & CONDITIONS	
MANUFACTURER:	(SHALL BE FROM ICOFC VENDOR LIST)
DELIVERY TIM:	9 MONTH AFTER TENDER AWARD
DELIVERY LOCATION :	RAY DRILLING WAREHOUSE
MARKING:	BIT SIZE, BIT TYPE, THREAD, SN (ON GAUGE & BODY)
APPLICABLE STANDARDS :	API 7 & 7G LAST EDITION.
NOTES FOR PREMIUM CONNECTION :	4 TIMES MAKE UP & BREAK OUT SHALL BE GUARANTIED BY MANUFACTURER.
<p>• مته های ساخت سازندگان چینی و اروپای شرقی که سابقه استفاده در شرکت نفت مناطق مرکزی ایران را نداشته باشند مورد قبول نمی باشد و الویت در تامین مته ها از طریق کارخانه های ثبت شده در AVL شرکت ملی نفت ایران باشد.</p> <p>• مته های STOCK به هیچ عنوان قابل قبول نمی باشد.</p> <p>• بسته بندی تمامی اقلام خریداری شده باید شامل جعبه فلزی یا فلزی-کامپوزیتی باشد همچنین برای هر مته، تامین یک عدد BIT BREAKER، یک عدد آچار نازل، یک عدد NOZZLE GAUGE الزامی است. علاوه بر این، هر نازل باید به همراه یک مجموعه کامل O-RING مطابق با استانداردهای مربوطه تحویل گردد.</p> <p>• تعداد نازل های خریداری شده می بایست به صورت SET کامل تامین گردد، که هر ست طبق طراحی سایزهای مته شامل ۴ الی ۹ نازل می باشد.</p> <p>• رعایت کلیه استانداردهای API و ISO مربوط به کالای سفارش گذاری شده از جمله API 7 & API 7G الزامی می باشد (ارائه گواهینامه API 7 ضروری می باشد).</p> <p>• برای هر ۲۰ عدد مته، تامین یک مجموعه RING GAUGE (GO, NO-GO) مطابق با استانداردهای مربوطه الزامی است. همچنین عبارت PDC BIT میبایست به صورت حک شده روی ابزار مذکور درج گردد.</p> <p>• اتصال کلیه مته ها، مطابق استاندارد API 7 Spec 2 و پوشیده از گریس مخصوص و محافظ اتصال Thread Protector باشد</p> <p>• زمان تحویل اقلام ۹ ماه پس از ابلاغ به تامین کننده بر طبق جدول زمانبندی نیاز کارفرما می باشد.</p> <p>• ارائه گارانتی برای هر یک از مته ها به مدت پنج سال مطابق با مشخصات ذکر شده در تقاضا الزامی است.</p> <p>• کلیه هزینه های بازرسی فنی کالا شامل طرح کنترل کیفی ساخت و برنامه بازرسی و آزمون (ITP & QCP) و غیره توسط اداره محترم بازرسی شرکت مناطق مرکزی مشخص می شود ضمناً ارائه مدارک دال بر اصالت کالا الزامی بوده و توسط اداره محترم بازرسی فنی تعیین و تایید می گردد.</p>	

